HP Color LaserJet Managed Flow MFP E877z Printer series



Powerful, Flexible, Secure,

Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers² you'll stay secure and simplify fleet management for busy IT pros.



Unleash peak productivity.

- Experience speed and performance like no other with our fastest ever 300 ipm⁶ duplex scan technology.
- Work faster and without interruptions with reverse and retry technology that automatically detects and resolves double feed issues.
- Easily scan and capture text from documents with high accuracy with OCR software, increase productivity with the optional accelerator card.
- Save time by simply scanning once and sending to multiple destinations with customized shortcuts built to eliminate steps and improve accuracy.

Customizable solutions built to last.

- Make your day-to-day easier by customizing your print experience with cloud-connected HP Workpath apps that let you access personalized content, integrate paper and digital workflows.⁷
- Unleash your creativity and match any office décor with modern designs and the option of five customizable color panels.
- Give your team what they need to succeed with the HP Open Extensibility Platform containing hundreds of HP and third-party solutions as well as card reader support.
- Make color management simple & seamless with our HP Custom Color Manager. Match color output of any document/device combination without the hassle of expensive color matching systems.

Always on guard with HP Wolf Security.4

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified³ to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time.
- HP Memory Shield™ is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

Better printing, for a better planet.

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content.⁸
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic. Printing that puts the planet first
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Gold, Energy Star, and Blue Angel.¹⁰
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.

Product walkaround

- 1. Hardware Integration Pocket (for connecting accessories and third-party devices)¹
- 2. Flatbed scanner handles sheets up to 11x17 in (297 x 432 mm)
- 3. 500-sheet output bin
- 4. Automatic two-sided printing
- 5. Easy-access USB port²
- 6. Front door access to toner cartridges
- 7. HP High-Performance Secure Hard Disk
- 8. Slot for cable-type security lock
- 9. SuperSpeed USB 3.0 Host Port
- 10. Hi-Speed USB 2.0 Host Port
- 11. Gigabit Ethernet Port
- 12. SuperSpeed USB 3.0 device port
- 13. 520-sheet tray 3 supports media sizes up to SRA3 (12x18 in)
- 14. 300-sheet dual side ADF supports media sizes up to A3 (11x17 in) (Flow models only)³
- 15. 10.1 inch (25.6 cm) color touchscreen display
- 16. Power button
- 17. Full size keyboard
- 18. Right door access to the print path
- 19. 100-sheet multipurpose tray 1 supports media sizes up to SRA3 (12x18 in)
- 20. 520-sheet tray 2 supports media sizes up to A4 (Letter)
- 21. Optional 2 x 520-sheet dual tray/stand supports media sizes up to SRA3 (12x18 in)



Series at a glance

Model	HP Color LaserJet Managed Flow MFP E877z					
Model	THE COLOR Laser Jet Mariaged Flow MIFE 60/12					
Product number	5QK08A	5QK08A(Base) + 8EP60AAE (Speed license)	5QK08A(Base) + 8EP61AAE (Speed license)	5QK08A(Base) + 8EP62AAE (Speed license)		
Print speed (A4 and letter, Black and color) ³	Up to 40 ppm	Up to 50 ppm	Up to 60 ppm	Up to 70 ppm		
Scan speed (A4 and letter, Black and color) ⁴	150 ppm/300 ipm, simplex/duplex					
Functions	Print, copy, and scan (fax and wireless optional) (all models)					
ADF capacity	300 sheets					
Input capacity	Standard: 1,140 sheets; Maximum: 6,140 sheets (all models)					
Advanced workflow features	HP EveryPage technology, full size keyboard, embedded OCR, reverse and retry, auto orientation, auto-tone, auto page-crop, document editing, auto paper color removal, automatically straighten, job separation					

¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. ² An administrator must enable the easy-access USB port before use. ³ The E877 series Flow models include a 300-sheet ADF. The E877 series flow models include a 300-sheet ADF. The ADF on all devices can scan documents up to 11 x 17 inches (A3). ⁴ Measured using GO/IEC 24734, excludes First set of test documents. For more information, see hp. com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁵ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Top features

Get more done faster with industry leading printing, scanning and copying speeds, maximum uptime – powered by HP's custom designed quadcore processor. Tailored on-device and cloud connected solutions to help optimize your workflows with flexibility to support your workforce today and evolve to meet your demands for tomorrow.

HP Wolf Enterprise Security provides the world's most secure printing through industry leading multi-layer, self-healing security that protects, detects, and adapts to new threats. We keep trouble out so you can keep your business running.
Save resources with our energy efficient printing that meets EPEAT Gold, Blue Angel and Energy Star standards; supporting HP's goal for carbon neutrality and a fully sustainable economy.

Services and Solutions

Service and Support	OUTIDE - THE T year Next business day with DMN service for color Laserset Managed MT F 2077XX
	U03HFE - HP 3 year Next Business Day with DMR Service for Color Laser Jet Managed MFP E877xx
	U03HGE - HP 4 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx
	U03HHE - HP 5 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx
	U03HJE - HP 3 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx
	U03HKE - HP 4 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx
	U03HLE - HP 5 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx
	U03HME - HP 1 year Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E877xx (Managed Component Only)
	U03HNE - HP 3 year Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E877xx (Managed Component Only)
	U03HQE - HP 4 year Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E877xx (Managed Component Only)
	U03HRE - HP 5 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only)
	U03HSPE - HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx
	U03HTPE - HP 2 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx
	U03HVPE - HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx
	U03HWPE - HP 2 year Post Warranty 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E877xx
	U03HXPE - HP 1 year PW Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E877xx (Managed Component Only)
	U03HYPE - HP 2 year PW Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only)
	U9PR6E - HP A3 Installation Service for E7xxxx/E8xxxx MFP
Solutions	Sourity ID Acces Control ID Sourity Manager ID Advance ID Sourie Driet and Incides
	Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights Makilly distincted interests and the Print of the Print
	Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Custom Color Manager; HP Command Center; HP Smart Printer Administrator's Resource Kit
	ranagement. ne web Jetkomin, ne smart bevice services (503), Embedded web server, ne costom Color Manager, He Contributo Center, He Smart Printer Administrator's Resource Nit

Front panel optional colors



*Available with optional color panel accessories

	Avaitable with optional color panel accessories
Accessories	155P7A HP LaserJet InnerFinisher 2/3 Hole Punch
	155P9A HP LaserJet Inner Finisher Swedish Hole Punch
	190A3A HP LaserJet Department Lunar Gray Color Panel
	190A5A HP LaserJet Department High Capacity Paper Tray/Stand Lunar Gray Color Panel
	190A8A HP LaserJet Department Stand Lunar Gray Color Panel
	190B2A HP Color Laser Jet Department Comet Red Color Panel
	190B3A HP LaserJet Department Comet Red Color Panel
	190B4A HP LaserJet Department 2x520 sheet Paper Tray/Stand Comet Red Color Panel
	190B5A HP LaserJet Department High Capacity Paper Tray/Stand Comet Red Color Panel
	190B8A HP LaserJet Department Stand Comet Red Color Panel
	190C2A HP Color Laser Jet Department Cosmic Green Color Panel
	190C3A HP Laser Jet Department Cosmic Green Color Panel
	190C4A HP Laser Jet Department 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel
	190CSA HP Laser Jet. Department High Capacity Paper Tray/Stand Cosmic Green Color Panel
	190C8A HP Laser Jet Department Stand Cosmic Green Color Panel
	19002A HP Color Laser Jet Department Constellation Yellow Color Panel
	190D3A HP LaserJet Department Constellation Yellow Color Panel 190D4A HP LaserJet Department 2x520 sheet Paper Tray/Stand Constellation Yellow Color Panel
	190D4A HP LaserJet Department 2x520 sheet Paper Tray/Stand Constellation Yellow Color Panel 190D5A HP LaserJet Department High Capacity Paper Tray/Stand Constellation Yellow Color Panel
	19008A HP Laser Jet Department Stand Constellation Yellow Color Panel
	19062A HP Color Laser Jet Department Aurora Purple Color Panel
	190F2A FIF Coult case let bepartinent Autora Purple Color Paniel 190F3A FIP Laser jet Department Autora Purple Color Paniel
	190FA HP Laser Jet Department 2x520 sheet Paper Tray/Stand Aurora Purple Color Panel
	190F5A HP LaserJet Department High Capacity Paper Tray/Stand Aurora Purple Color Panel
	190F8A HP LaserJet Department Stand Aurora Purple Color Panel
	2NR12A HP Removable Hard Drive Enclosure
	3.N69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory
	4XN67A Internal USB Expansion Kit
	5QK14A HP MFP 810 Analog Dual Fax
	6GW47A HP LaserJet 2x520 sheet Department Paper Tray/Stand
	6GW50A HP LaserJet Department Job Separator
	6GW51A HP LaserJet Booklet Finisher
	6GW55A HP LaserJet Stapler/Stacker Finisher
	6GW56A HP LaserJet 3000 sheet Department High Capacity Paper Tray/Stand
	6GW57A HP LaserJet 2000 sheet Department High Capacity Paper Tray/Stand
	6HN30A HP Laser Jet Workflow Accelerator Card
	6HN31A HP 500GB CCC, FIPS, TAA Hard Disk Drive
	7ZAO8A HP MFP 800 Analog Single Fax
	8FP31A HP Jetdirect LAN Accessory
	9EQ11A HP 500GB CCC, FIPS Hard Disk Drive
	Y1G10A HP LaserJet Hole Punch 2/3 Accessory
	Y1G11A HP Laser Jet Hole Punch 2/4 Accessory
	Y1G13A HP LaserJet Inner/Booklet Staples Y1G14A HP LaserJet Stapler/Stacker Finisher Staples
	Y1G22A HP LaserJet Paper Tray Heaters Accessory
Speed Licenses	8EP60AAE HP Color Laser,let Managed MFP E877 40 to 50ppm License
	8EP61AAE HP Color Laser Jet Managed MFP E877 40 to 60ppm License
	8EP62AAE HP Color LaserJet Managed MFP E877 40 to 70ppm License
	8LB48AAE HP Color LaserJet Managed MFP E877 50 to 60ppm License
	8LB49AAE HP Color LaserJet Managed MFP E877 60 to 70ppm License
	8LB50AAE HP Color LaserJet Managed MFP E877 50 to 70ppm License
Supplies	Western Company of the Company of th
Juppiics	W9077MC HP W9077MC Black Managed LaserJet Imaging Drum
	W9078MC HP W9078MC Color Managed Laser Jet Imaging Drum (~240,000 pages)
	W9160MC HP W9160MC Black Managed Laser Jet Toner Cartridge W9160MC HD W9160MC Black Managed Laser Jet Toner Cartridge
	W9161MC HP W9161MC Cyan Managed LaserJet Toner Cartridge W0162MC LID W0162MC V9LUW Managed LaserJet Toner Cartridge
	W9162MC HP W9162MC Yellow Managed LaserJet Toner Cartridge W0163MC HD W0163MC Managed LaserJet Toner Cartridge
	W9163MC HP W9163MC Magenta Managed Laser Jet Toner Cartridge W0170MC LPD W0170MC High Viold Plack Managed Laser Jet Toner Cartridge
	W9170MC HP W9170MC High Yield Black Managed LaserJet Toner Cartridge W9171MC HP W9171MC High Yield Cyan Managed LaserJet Toner Cartridge
	W9177MC HP W9177MC High Yield Cyan Managed LaserJet Toner Cartridge W9172MC HP W9172MC High Yield Yellow Managed LaserJet Toner Cartridge
	W9172MC HP W9172MC High Yield Magenta Managed Laser Cartilage W9173MC HP W9173MC High Yield Magenta Managed Laser Ist Toner Cartridge
	13 17 3 16 This 17 3 16 Thigh Theat Fagarita Pillinged East-of Children

^{*} Inner finisher/inner finisher hole punches are not compatible with 70 ppm ** HP Laser Jet Workflow Accelerator Card, 6 HN30A will be available in January 2023.

Technical specifications

Corp. speed	Technical specif	ications					
Letter Color	Functions	Print, copy, scan, fax (optional)					
Letter Calce Light of Depth	Print speed ^{3,4}		Up to 40 ppm	Up to 50 ppm (with 8EP60AAE)	Up to 60 ppm (with 8EP61AAE)		
March							
Per spep out letter State First page out letter State An Internal as 2 are An Intern			- ' ' '				
Part or page and Letter Calair							
Part Common Part Common Part Common Part P							
First peak page of AM Code Mack betty 1: 200 12 (101) to 15 (101)							
inter technology inter technology inter participation makes inter participation inter par							
Hint technology All certificity for the property of the common of the property of the property of the common of the property of the property of the common of the property of the common of the property of the common of the property of the propert	Print resolution	Black (best): Up to 1200 x 1200 dp	i full speed; Black (normal): Up to	600 x 600 dpi; Black (fine lines): Up to 1200 x	: 1200 dpi; Color (best): Up to 1200 x 1	200 dpi full speed; Color (normal): L	
A control of the cont	State de la constant	•					
Redwind purposes PEPC, S. PEPC, S. PEPCS of Personnel ford 3 amendation, OP in 17.8 Amendative Committee Control Section 19 (2)							
rivier arms of views of four per him process, due to printing prin	-	1 1 - 3 - 1 - 3 1 - 3 -					
Commons Ves	Standard print languages	HP PCL 5c, HP PCL 6, HP Postscript	level 3 emulation, PDF (v 1.7), Air	rPrint™ compatible			
Department Latter Up to 300 journ 2004	Printer smart software featur	es Print preview, duplex printing, pri	nt multiple pages per sheet (2, 4,	6, 9, 16), collation, watermarks, store print j	obs, easy-access USB		
San type / Bethrology Flatted, PF Harm Scanner (Displace) (Displace) San resolution Hardware: 10 to 500 (Displace) (Displ	Color scanning	Yes					
Service Serv	Scan speed ^s	Normal Letter: Up to 150 ppm/30 Duplex Letter: Up to 300 ipm (b&v	D ipm (b&w), up to 150 ppm/300 ip v), up to 300 ipm (color) ; A4: Up to	om (color) ; A4: Up to 150 ppm/300 ipm (b&w) o 300 ipm (b&w), up to 300 ipm (color)	l, up to 150 ppm/300 ipm (color)		
Som Net Compression DRI, PELA, In-Compression DRICA, PECA, INFE, MITE, APE, PET DOIGH, H-Compression DRICA, BCACR, INFA DOIGH, BCACR, DAVID DRICA, BCACR, DAVID DRIC	Scan type / Technology	Flatbed, ADF / Platen Scanner CCD	Digital-CIS				
Som Net Compression DRI, PELA, In-Compression DRICA, PECA, INFE, MITE, APE, PET DOIGH, H-Compression DRICA, BCACR, INFA DOIGH, BCACR, DAVID DRICA, BCACR, DAVID DRIC	Scan resolution	Hardware: Up to 600 x 600 dpi: 0	otical: Up to 600 x 600 dpi				
Som instant moties Sing Search and explications Copy, Rev. South or Family. South 10 Med South 10 Storage, Doen Extendibility Rathom (1994), IP Workpath applications Gardinary South Research (2014). A few South 10 Storage (1994). The South (1994) is a search of south 10 Storage (1994). The South Instantial Sout	Scan file format	PDF, Hi-Compression PDF, PDF/A Hi-Compression PDF/A JPEG. TIFF, MTIFF, XPS, PDF (OCR), Hi-Compression PDF (OCR), PDF/A (OCR), Hi-Compression PDF/A (OCR), TEXT (OCR), Unicode TEXT					
APE Maximum: 10x 569 fmm; 12x bit in APP Minimum: 60x 127 mm; 21x bit in APP Minimum: 60x 10x bit in APP M	Scan input modes			: Folder; Scan to USB; Scan to Job Storage: O	pen Extensibility Platform (OXP). HP v	Vorkpath applications	
Come advanced features	•				•		
Duplex ADF sourcing Ves, single pass duplex sourcing Ves cannot you sharderd. 300 sheets Ves you sheet and you sharderd. 300 sheets of you sharderd. 300 sheets of you sheet sheets on investable you sheet sheets. 300 sheets of you sheet sheets on investable you sheets on white sheets of you sheet sheets. 300 you sheet sheets on investable you sheet sheets. 300 you sheet sheets on you you sheet sheets. 300 you you sheet sheets on you you sheet sheets. 300 you you sheet sheets on you you sheet sheets. 300 you							
Standard 300 sheets		removal; job separation (blank page, barcode); watermark; stamps					
Twent version ### depth of graystale levels ### depth of gra							
Silptal sending standard content of the content of		·					
Digital sending standard centures of control c							
color sense, compact PDF; image adjustments (darkness, contrast, background diearup, sharpness), optimized text/prizure (auto, text, mised, printed picture, photograph); content orientation; auto-rape-copy multi-feed detection; reverse and retry, document editing, auto paper color removals. Under the contract orientation, auto-rape-copy multi-feed detection; reverse and retry, document editing, auto paper color removals. Up to 60 cm with temperature, auto-rape, auto-rane, auto-ra		- : 0:0/ 0					
Letter Color		orientation; ID scan, job build; watermark; stamps, book mode scans; erase edges; image preview; blank page suppression; scan to multi destination; embedded OCR; auto-tone, auto					
All Black	Copy speed	Letter Black	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)	
ACOUNT LETTER Back Duplex Up to 40 cm Up to 50 cm with BEPGANEE Up to 60 cm with BEPGANEE Up to 70 cm with BEPGANEE Up to 50 cm with BEPGANEE Up to 50 cm with BEPGANEE Up to 60 cm with BEPGANEE Up to 70 cm with BEPGANEE Up to 60 cm with BEPGANEE Up to 70 cm with BEPGANEE Up to 60 cm with BEPGANEE Up to 70 cm with BEPGANEE Up to 70 cm with BEPGANEE Up to 60 cm with BEPGANEE Up to 70 cm with BEPGANEE Up to 60 cm with BEPGANEE Up to 70 cm with BEPGANEE Up to 70 cm with BEPGANEE Up to 60 cm with BEPGANEE Up to 70 cm with BEPGANEE Up to 60 cm with BEPGANEE Up to 70 cm with BEPGANEE Up to 60 cm with BEPGANEE Up to 70 cm with BEPGANEE Up to 60 cm with BEPGANEE Up to 60 cm with BEPGANEE Up to 70 cm with BEPGANEE Up to 60 cm with BEPGANEE Up to 60 cm with BEPGANEE Up to 70 cm with BEPGANEE Up to 70 cm with BEPGANEE Up to 60 cm with BEPGANEE Up to 70 cm with BEPGANEE Up to							
Letter Back Duplex Lip to 40 cpm Lip to 50 cpm (with BEPSOAME) Lip to 40 cpm Lip to 50 cpm (with BEPSOAME) Lip to 50 cpm (with							
Letter Color Duplex Up to 40 cpm							
## Black Duplex Up to 40 cpm Up to 50 cpm (with BEPGAME) Up to 60 cpm (with BEPGAME) Up to 70 cpm (with BEPGAME) First copy out Letter Black As fast as 4.9 sec As fast as 4.2 sec (with BEPGAME) As fast as 3.8 sec (with BEPGAME) First copy out Letter Color As fast as 6.5 sec As fast as 4.2 sec (with BEPGAME) As fast as 3.8 sec (with BEPGAME) First copy out AM Black As fast as 4.9 sec As fast as 4.2 sec (with BEPGAME) As fast as 3.8 sec (with BEPGAME) First copy out AM Black As fast as 4.9 sec As fast as 4.2 sec (with BEPGAME) As fast as 3.8 sec (with BEPGAME) First copy out AM Color As fast as 3.4 sec As fast as 4.2 sec (with BEPGAME) As fast as 3.8 sec (with BEPGAME) First copy out AM Color As fast as 3.5 sec (with BEPGAME) As fast as 3.8 sec (with BEPGAME) First copy out AM Color As fast as 3.5 sec (with BEPGAME) As fast as 3.8 sec (with BEPGAME) First copy out AM Color As fast as 3.5 sec (with BEPGAME) As fast as 3.8 sec (with BEPGAME) First copy out AM Color As fast as 3.5 sec (with BEPGAME) As fast as 3.8 sec (with BEPGAME) First copy out AM Color As fast as 3.5 sec (with BEPGAME) As fast as 3.8 sec (with BEPGAME) First copy out AM Color As fast as 3.5 sec (with BEPGAME) As fast as 3.8 sec (with BEPGAME) First copy out AM Color As fast as 3.5 sec (with BEPGAME) As fast as 3.8 sec (with BEPGAME) First copy out AM Color As fast as 3.8 sec (with BEPGAME) As fast as 3.8 sec (with BEPGAME) First copy out AM Color As fast as 3.8 sec (with BEPGAME) As fast as 3.8 sec (with BEPGAME) First copy out AM Color As fast as 3.8 sec (with BEPGAME) As fast as 3.8 sec (with BEPGAME) First copy out AM Color As fast as 3.8 sec (with BEPGAME) As fast as 3.8 sec (with BEPGAME) First copy out AM Color As fast as 3.8 sec (with BEPGAME) As fast as 3.8 sec (with BEPGAME) First copy out AM Color As fast as 4.9 sec (with BEPGAME) First copy out AM Color As fast as 4.9 sec (with BEPGAME) First copy out AM Co							
## ACION Duplex							
First copy out Letter Back As fast as 4.9 sec As fast as 6.5 sec As fast as 4.2 sec (with BEPGAME) First copy out AF Back As fast as 6.5 sec As fast as 4.2 sec (with BEPGAME) As fast as 4.9 sec (with BEPGAME) First copy out AF Color As fast as 4.9 sec As fast as 4.2 sec (with BEPGAME) As fast as 4.9 sec (with BEPGAME) As fast as 3.8 sec (with BEPGAME) As fast as 4.9 sec (with BEPGAME) As fast a							
First copy out Letter Color First copy out A Back As fast as 6.5 sec As fast as 6.5 sec As fast as 6.4 sec (with BEPGOAME) As fast as 4.3 sec (with BEPGAME) As fast as 4.9 sec (with BEPGAME) As fa							
First copy out Af Color As fast as 6.5 sec As fast as 5.5 sec (with BEPG0ANE) As fast as 4.9 sec (with BEPG1ANE) As fast as 4.3 sec (with BEPG2ANE) Maximum number of copies Up to 9999 copies Copier resize 25 to 400% Two-sided copying; scalability; image adjustments (darkness, contrast, background deanup, sharpness); optimized text/picture (Auto, text, mixed, printed picture, photograph); N-Up; N Two-sided copying; scalability; image adjustments (darkness, contrast, background deanup, sharpness); optimized text/picture (Auto, text, mixed, printed picture, photograph); N-Up; N Two-sided copying; scalability; image adjustments (darkness, contrast, background deanup, sharpness); optimized text/picture (Auto, text, mixed, printed picture, photograph); N-Up; N Two-sided copying; scalability; image adjustments (darkness, contrast, background deanup, sharpness); optimized text/picture (Auto, text, mixed, printed picture, photograph); N-Up; N Two-sided copying; scalability; image adjustments (darkness, contrast, background deanup, sharpness); optimized text/picture (Auto, text, mixed, printed picture, photograph); N-Up; N Two-sided copying; scalability; image adjustments (darkness, contrast, background deanup, sharpness); optimized text/picture (Auto, text, mixed, printed) picture, photograph); N-Up; N							
Black (text and graphics): Up to 600 x 600 dpi ; Color (text and graphics): Up to 600 x 600 dpi							
Up to 9999 copies Copier restze 25 to 400% Two-sided copying: scalability; image adjustments (darkness, contrast, background deanup, sharpness); optimized text/picture (Auto, text, mixed, printed picture, photograph); N-Up; N Zordering; content orientation; collation; booklet; ID scan; job build; job storage; watermark; stamps book mode scans, erase edges, automatically detect color/monochrome; image preview, Image Shift; Paper Selection; collate; Blank Page Suppression; Auto Orientation; Auto Tone; Crop to page, Multi-feed Detection; Reverse and Retry; Document Editing; Auto Pap Color Removal, Job Separation; Automatically Straighten; Eax speed Up to 333.6 kbps / Letter: 3 sec per page Fax resolution Black (best): Up to 3000 pages Up to 5000 pages Auto fax reduction supported: Yes Auto-redialing; Yes Fax delayed sending; No Distinctive ring detection supported: No Fax forwarding supported: Yes Fax phone TAM interface supported: No Fax polling supported: Yes (poll to receive only): Fax telephone mode supported: No Junk barrier supported: Yes Maximum speed dialing numbers Up to 1000 numbers (each with 210 destinations) PC interinations of Policy supported: No Fax forwarding supported: Yes Pax phone TAM interface supported: No Fax polling supported: Yes (poll to receive only): Fax telephone mode supported: No Junk barrier supported: No Fax forwarding supported: Yes fax phone TAM interface supported: No Fax forwarding supported: Yes fax phone TAM interface supported: No Fax polling supported: Yes Semonte retrieval capability supported: No Fax forwarding supported: Yes fax phone TAM interface supported: No Fax polling supported: Yes Semonte retrieval capability supported: No Fax forwarding supported: Yes fax phone TAM interface supported: No Fax polling supported: Yes Semonte retrieval capability supported: No Fax forwarding supported: Yes Semonte retrieval capability supported: No Fax forwarding supported: Yes fax phone TAM interface supported: Yes fax phone TAM interface supported: Yes fax phone TAM inter		First copy out A4 Color	As fast as 6.5 sec	As fast as 5.6 sec (with 8EP60AAE)	As fast as 4.9 sec (with 8EP61AAE)	As fast as 4.3 sec (with 8EP62AAE)	
Stock Stoc	Copy resolution	Black (text and graphics): ; Up to 6	600 imes 600 dpi ; Color (text and gra j	phics): Up to 600 x 600 dpi			
Two-sided copying: scalability: image adjustments (darkness, contrast, background deanup, sharpness); optimized text/picture (Auto, text, mixed, printed picture, photograph); N-Up; N-Cordering; content orientation; collation; booklet; ID scan; job build; job storage; watermark; stamps; book mode scans; erase edges; automatically detect color/monodrome; image preview; image Shift; Paper Selection; collate; Blank Page Suppression; Auto Orientation; Auto Tone; Crop to page; Multi-feed Detection; Reverse and Retry; Document Editing; Auto Paper Selection; Collate; Blank Page Suppression; Auto Orientation; Auto Tone; Crop to page; Multi-feed Detection; Reverse and Retry; Document Editing; Auto Paper Sear resolution Back (best): Up to 300 x 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard); 203 x 98 dpi Fax resolution Fax memory: Up to 500 pages; Up to 500 pages Auto fax reduction supported: Yes Auto-redialing; Yes Fax delayed sending; No Distinctive ring detection supported: No Fax forwarding supported: Yes Apported: Yes Parote can with 210 destinations PC vers (poll to receive only) Fax telephone mode supported: No Telephone handset supported: No Fax forwarding supported: Yes Parote erterieval capabilities supported: No Telephone handset	Maximum number of copies	Up to 9999 copies					
Z-ordering; content orientation; collate; Bank Page Suppression; Auto Orientation; Auto Tone; Crop to page; Multi-feed Detection; Reverse and Retry; Document Editing; Auto Pap Color Removal; Job Separation; Automatically Straighten; Fax speed Up to: 33.6 kbps/ Letter: 3 sec per page Fax resolution Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi Fax Features Fax memory: Up to 500 pages, Up to 500 pages, Auto fax reduction supported: Yes Auto-redialing; Yes Fax delayed sending; No Distinctive ring detection supported: No Fax poling supported: Yes Pax phone TAM interface supported: No Fax polling supported: Yes fool to receive only) Fax telephone mode supported: No Junk barrier supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: No Junk barrier supported: No Fax polling supported: Yes Remote retrieval capability supported: No Junk barrier supported: No Fax forwarding supported: Yes Remote retrieval capability supported: No Junk barrier supported: No Fax forwarding supported: Yes Remote retrieval capability supported: No Junk barrier supported: No Fax forwarding supported: Yes Remote retrieval capability supported: No Junk barrier supported: No Fax forwarding supported: Yes Remote retrieval capability supported: No Junk barrier supported: No Fax polling supported: Yes Remote retrieval capability supported: No Junk barrier supported: No Fax polling supported: Yes Remote retrieval capability supported: No Junk barrier supported: No Fax polling supported: Yes Remote retrieval capability supported: No Junk barrier supported: No Fax polling supported: Yes Remote retrieval capability supported: No Junk barrier su	Copier resize	25 to 400%					
Fax resolution Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi Fax Features Fax memory: Up to 500 pages; Up to 500 pages Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: No Fax forwarding supported: Yes Fax phone TAM interface supported: Yes Foolt to receive only) Fax telephone mode supported: No Junk barrier supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinos) PC interface supported: Yes Remote retrieval capability supported: No Take face supported: No Take f		Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (Auto, text, mixed, printed picture, photograph); N-Up; N of Z-ordering; content orientation; collation; booklet; ID scan; job build; job storage; watermark; stamps; book mode scans; erase edges; automatically detect color/monochrome; image preview; Image Shift; Paper Selection; collate; Blank Page Suppression; Auto Orientation; Auto Tone; Crop to page; Multi-feed Detection; Reverse and Retry; Document Editing; Auto Paper Selection; Collate; Blank Page Suppression; Auto Orientation; Auto Tone; Crop to page; Multi-feed Detection; Reverse and Retry; Document Editing; Auto Paper Selection; Collate; Blank Page Suppression; Auto Orientation; Auto Tone; Crop to page; Multi-feed Detection; Reverse and Retry; Document Editing; Auto Paper Selection; Collate; Blank Page Suppression; Auto Orientation; Auto Tone; Crop to page; Multi-feed Detection; Reverse and Retry; Document Editing; Auto Paper Selection; Collate; Blank Page Suppression; Auto Orientation; Auto Tone; Crop to page; Multi-feed Detection; Reverse and Retry; Document Editing; Auto Paper Selection; Collate; Blank Page Suppression; Auto Orientation; Auto Tone; Crop to page; Multi-feed Detection; Reverse and Retry; Document Editing; Auto Paper Selection; Collate; Blank Page Suppression; Auto Orientation; Auto Tone; Crop to page; Multi-feed Detection; Reverse and Retry; Document Editing; Auto Page Selection; Collate; Blank Page Selection; Reverse and Retry; Document Editing; Auto Page Selection; Collate; Blank Page Selection; Reverse and Retry; Document Editing; Auto Page Selection; Reverse and Retry; Document Editing; Auto Page Selection; Reverse and Retry; Document Edition; Auto Page Selection; Reverse and Retry; Document Edition; Reverse and Reverse and Retry; Document Edition; Reverse and Re					
Fax Features Fax memory: Up to 500 pages; Up to 500 pages Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: No Fax forwarding supported: Yes Fax phone TAM interface supported: No Fax polling supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barrier supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: No Telephone handset supported: No Standard connectivity 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host) Network capabilities Standard (built-in GIGABIT 10/100/1000T Ethernet) Mireless capability Optional, enabled with purchase of a hardware accessory Mobile printing capability Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print Memory Standard: GGB; Maximum: GGB Veroessor speed Quad Core (1.6GHz), Dual Core (1.4GHz) Standard, embedded 500 GB hard disk drive Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk) Duty cycle (monthly) Letter: Up to 180,000 pages Up to 200,000 pages (with BEPGAAE) At: Up to 180,000 pages (with BEPGAAE) Up to 200,000 pages (with BEPGAAE) Up to 200,000 pages (with BEPGAAE) BEPGAAE) Up to 200,000 pages (with BEPGAAE)			1 3				
Standard connectivity 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host) Standard (built-in GIGABIT 10/100/1000T Ethernet) Wireless capability Optional, enabled with purchase of a hardware accessory Apple Air Print™; Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print Standard:GGB; Maximum:GGB Processor speed Quad Core (1.4GHz), Dual Core (1.4GHz) Storage Standard, embedded 500 GB hard disk drive Hard disk Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk) Duty cycle (monthly) Letter: Up to 180,000 pages Up to 200,000 pages (with 8EP61AAE) Up to 250,000 pages (with 8EP61AAE) Up to 520,000 pages (with 8EP61AAE) Up to 500,000 pages (with 8EP61AAE) Up to 180,000 pages (with 8EP62AAE)							
Standard connectivity 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host) Network capabilities Standard (built-in GIGABIT 10/100/1000T Ethernet) Optional, enabled with purchase of a hardware accessory Mobile printing capability Apple Air Print™, Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print Standard:6GB, Maximumr6GB Processor speed Quad Core (1.6GHz), Dual Core (1.4GHz) Standard, embedded 500 GB hard disk drive Standard, embedded 500 GB hard disk drive Hard disk Standard, HP Laser Jet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk) Duty cycle (monthly) Letter: Up to 180,000 pages Up to 200,000 pages (with 8EP60AAE) Up to 250,000 pages (with 8EP61AAE) Up to 500,000 pages (with 8EP61AAE) Up to 500,000 pages (with 8EP61AAE) Up to 300,000 pages (with 8EP62AAE)	Fax Features	Fax memory: Up to 500 pages; Up supported: Yes Fax phone TAM into	to 500 pages Auto fax reduction serface supported: No Fax polling s	supported: Yes Auto-redialing: Yes Fax delay supported: Yes (poll to receive only) Fax tele	ed sending: No Distinctive ring detect phone mode supported: No Junk barri	ion supported: No Fax forwarding er supported: Yes Maximum speed	
Network capabilities Standard (built-in GIGABIT 10/100/1000T Ethernet) Wireless capability Optional, enabled with purchase of a hardware accessory Mobile printing capability Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print Standard:6GB; Maximum:6GB Processor speed Quad Core (1.6GHz), Dual Core (1.4GHz) Storage Standard, embedded 500 GB hard disk drive Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk) Duty cycle (monthly) Letter: Up to 180,000 pages Up to 200,000 pages (with 8EP61AAE) Up to 250,000 pages (with 8EP61AAE) Up to 300,000 pages (with 8EP61AAE) Up to 300,000 pages (with 8EP61AAE) REP62AAE)	Chandard connectivity						
Mireless capability Optional, enabled with purchase of a hardware accessory Mobile printing capability Apple Air Print™, Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print Memory Standard:6GB; Maximum:6GB Ouad Core (1.6GHz), Dual Core (1.4GHz) Storage Standard, embedded 500 GB hard disk drive Hard disk Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk) Outy cycle (monthly) Letter: Up to 180,000 pages Up to 200,000 pages (with 8EP61AAE) Up to 250,000 pages (with 8EP62AAE) Up to 300,000 pages (with 8EP62AAE) Up to 300,000 pages (with 8EP62AAE)	•			reciket zha generation (HIPZ); THI-SPEED U!	30 Z.O (1105t), 1 SuperSpeed USB 3.0 (0	evice), i Superspeed USB 3.0 (NOSt)	
Apple Air Print This, Mopria The Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); Printer On Print Memory Standard: 6GB; Maximum: 6GB Processor speed Quad Core (1.66Hz), Dual Core (1.46Hz) Storage Standard, embedded 500 GB hard disk drive Standard, HP Laser Jet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk) Duty cyde (monthly) Letter: Up to 180,000 pages Up to 200,000 pages (with 8EP60AAE) Up to 250,000 pages (with 8EP62AAE) Up to 300,000 pages (with 8EP62AAE) Up to 300,000 pages (with 8EP62AAE) Up to 250,000 pages (with 8EP62AAE) Up to 300,000 pages (with 9EP62AAE) Up to 300,000 pages (with 9							
Standard:6GB; Maximum:6GB			,				
Arcessor speed Quad Core (1.6GHz), Dual Core (1.4GHz) Standard, embedded 500 GB hard disk drive Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk) Duty cyde (monthly) Letter: Up to 180,000 pages Up to 200,000 pages (with 8EP61AAE) BEP61AAE Up to 250,000 pages (with 8EP62AAE) Up to 300,000 pages (with 8EP62AAE) Up to 250,000 pages (with 8EP62AAE) BEP61AAE) Up to 250,000 pages (with 8EP62AAE) BEP61AAE) BEP62AAE	Nobile printing capability	Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print					
Standard, embedded 500 GB hard disk drive Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk) Duty cyde (monthly) Letter: Up to 180,000 pages Up to 200,000 pages (with 8EP61AAE) Up to 250,000 pages (with 8EP62AAE) BEF61AAE) Up to 300,000 pages (with 8EP62AAE) Up to 300,000 pages (with 8EP62AAE) BEF61AAE) Up to 250,000 pages (with 8EP62AAE)	1emory	Standard:6GB; Maximum:6GB					
Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk) Letter: Up to 180,000 pages	rocessor speed	Quad Core (1.6GHz), Dual Core (1.4GHz)					
Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Duty cyde (monthly) Letter: Up to 180,000 pages Up to 200,000 pages (with 8EP62AAE) Up to 250,000 pages (with 8EP62AAE) Up to 300,000 pages (with 8EP62AAE) Up to 250,000 pages (with 8EP	Storage	Standard, embedded 500 GB hard disk drive					
Duty cycle (monthly) Letter: Up to 180,000 pages Up to 200,000 pages (with 8EP61AAE) Up to 250,000 pages (with 8EP61AAE) Up to 300,000 pages (with 8EP62AAE) A4: Up to 180,000 pages Up to 200,000 pages (with 8EP61AAE) Up to 250,000 pages (with 8EP61AAE) Up to 300,000 pages (with 8EP62AAE)	Hard disk	Standard, HP Laser Jet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-					
A4: Up to 180,000 pages Up to 200,000 pages (with 8EP60AAE) Up to 250,000 pages (with 8EP61AAE) Up to 300,000 pages (with 8EP62AAE)	Outy cycle (monthly)	- ,	Up to 180,000 pages				
		A4:	Up to 180,000 pages	Up to 200,000 pages (with	Up to 250,000 pages (with	Up to 300,000 pages (with	
	Recommended monthly page	Up to 60,000	1	1	1	1	

Technical specifications

Paper handling	Input Capacities: Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 50 envelopes; Input Capacities, Max:
	Up to 6,140 sheets; Output Capacities: Up to 500 sheets Standard; Up to 100 sheets Transparencies; Duplex Options: Automatic; Envelope feeder: No; Standard paper trays: 3
Media types supported	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy
	111-130g, Mid-WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, HP Glossy
	200g, Card-stock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead,
Media weight supported	Envelope, Heavy Envelope, Preprinted, Pre-punched, Colored Imperial: Tray 1, 2, 3: 16 to 86.5 lb bond; Metric: Tray 1, 2, 3: 60 to 325 g/m²
Media sizes supported	Imperial Tray 1: Letter, Letter R, Legal, Executive, Statement, 11 x 17, 12 x 18, 4 x 6, 5 x 7, 5 x 8, 8k, 16k, envelope #9, Envelope #10, Envelope Monarch; Tray 2: Letter,
riedia sizes supported	Statement, Officio, 4 x 6, 5 x 7, 5 x 8,10 x 15, envelope #9, Envelope #10, Envelope Monarch; Tray3: Letter, Letter R, Legal, Executive, Statement, Officio, 11 x 17, 12 x 18, 8k. 16k
	Metric Tray 1: A3, A4, A4R, A5, A5R, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS), 10x15cm, Oficio, 8K, 16k, Postcard (JIS), Postcard (JIS), Envelope B5, Envelope
	C5. Envelope C6, Envelope DL; Tray 2: A4, A4R, A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), B6(JIS), Oficio, BK, 16k, Envelope B5, Envelope C5, Envelope C6, Envelope C6, Envelope C7, Envelope C7, Envelope C8, Envelope C9, Envelope C9
	A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k
Media Sizes Custom	Imperial Tray 1: 3.86 x 5.5 to 12.59 x 18 in; Tray 2: 3.86 x 5.5 to 9.5 x 11.69 in; Tray 3: 5.5 x 7.17 to 12.59 x 18 in
	Metric Tray 1: 98 × 139.7 to 320 × 457.2 mm; Tray 2: 98 × 139.7 to 241.5 × 297 mm; Tray 3: 140 × 182 to 320 × 457.2 mm
What's in the box	5QK08A In box materials; Guide install, Flyer Regulatory, Power Cords, Keyboard/Overlay for Z model, Label, Drums.
Replacement cartridges ¹	HP Black Managed LJ Toner Cartridge (ISO Yield 25,000) W9160MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 22,500) W9161MC, HP Yellow Managed LJ Toner
	Cartridge (ISO Yield 22,500) W9162MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 22,500) W9163MC, HP Black Managed LJ Toner Cartridge (ISO Yield 50,000)
	W9170MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 45,000) W9171MC, HP Yellow Managed LJ Toner Cartridge (ISO Yield 45,000) W9172MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 45,000) W9173MC
Product dimensions	Wxdxh: 25.2 x 29.4 x 36.8 in; 638.8 x 745.9 x 933.9 mm Maximum: 65.2 x 51.2 x 59.2 in; 1656.7 x 1301 x 1503.9 mm
Product weight	230.6 lb: 104.6 kg
Warranty features	90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to
Warranty reacures	hp.com/support to learn about HP award winning service and support options in your region.
Energy star certified	Yes
Ecolabels	EPEAT® registered; IT ECO Declaration; Blue Angel
Control panel	10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker
Display description	10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)
Software included	No software solutions are included in the Box only on http://hp.com/http://123.hp.com
Security management	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge
	readers); Network: IPsec/firewall with Certificate/Pre-shared Key authentication, Supports WIA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-
	TLS), SNMPv3, HTTPS, Certificates; Data: Storage Encryption, Encrypted PDF & Email, SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS
	Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), HP Memory Shield™, Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security
	Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs
Compatible operating	Windows 11; Windows 10; Windows (1); Windows
systems	**************************************
Compatible network	Windows 8; Windows Server; Linux; Citrix; UNIX
operating systems	
Minimum system	PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available
requirements	hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com
Power	Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 12.0 A 220 to 240 VAC
	(+/-10%), 50/60 Hz (+/-3 Hz), 7.0 A 100 VAC (+/-10%), 50/60 Hz (+/-3 Hz), (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption: 820 watts (40ppm, printing), 890 watts (50ppm, printing), 1020 watts (60ppm, printing), 1100 watts (70ppm, printing), 41.5 watts (ready), 0.8 watts
	(sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)
Acoustics	Acoustic power emissions: 6.70 Bel(A), printing color simplex A4 at 40ppm; 6.75 Bel(A), printing color simplex A4 at 50ppm; 6.85 Bel(A), printing color simplex A4 at
	60ppm: 7.00 Bel(A), printing color simplex A4 at 70ppm: Acoustic Pressure Emissions (active, printing): 52dB(A), printing color simplex A4 at 40ppm: 53dB(A).
	printing color simplex A4 at 50ppm; 54dB(A), printing color simplex A4 at 60ppm; 55dB(A), printing color simplex A4 at 70ppm; Acoustic Pressure Emissions (active
	scan): 54dB(A), ADF scan A4 at 90ipm; 59dB(A), ADF scan A4 at 150ipm
Operating environment	Operating temperature range: 15 to 30°C 59 to 86°F; Recommended operating temperature: 15 to 30°C 59 to 86°F; Storage temperature range: -10 to 40°C 14 to
	104°F; Operating humidity range: 20 to 80% RH; Recommended humidity operating range: 20 to 80% RH

Messaging Footnotes

- Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.

 HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive in-
- dass printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: hp.com/go/PrinterSThatProtect. For more information, visit: hp.com/go/PrinterSecurityClaims

 Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices
- running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf
 HP Security is now HP Wolf Security. Security features vary by platform. For more information, visit hp.com/wolfsecurity

- HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin
 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

 Based on HP review of competitive manifacturer's published app platform specifications as of April 2019. Only HP Workpath offers a combination of app validation upon submission plus automated re-validation of apps.

 To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Subscription may be required.

 Book of Driginal HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See hp.com/go/TonerRecycledContent for list.

 Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic.

 HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

 HP printer, HP paper and Original HP supply Blue Angel DE-UZ 219 Emissions Criteria.

Technical Specifications Footnotes

- ¹ Approximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies.

 ² Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application,
- driver, and document complexity.

 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application,
- driver, and document complexity.

 Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application, software.

For Scan software, we support: Windows (JPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT)

Methodology of RMPV calculation for the new generation HP LaserJet Managed MFP E800/E700 series are based on 60 months to meet typical WW MPS contract period. RMPV may vary higher or lower depending on the contract term. The new HP LaserJet Managed MFP E800/E700 series maintains or improves engine life.















